



# Sonaris™ #P55-100


Perforated acoustic ceiling panel laminate finish



asona



- 1.
- 2.
- 3.
- 4.
- 5.



## Sizes: # P55-100

600 x 600 mm or 600 x 1200 mm  
55mm Ø perf @ 100mm centres.

## How to select your Sonaris™ laminate ceiling:

1. Select perforation panel size.
2. Select your surface colour/print (see Sonatex colour range datasheet).
3. Choose your base colour. (see Sonatex colour range datasheet).
4. Select your base panel type: Triton Range (Glass Fibre), Polyfon Range (Polyester).
5. Optional: Noise attenuation backer.

## Specification:

Acoustic ceiling panel shall be Asona (Triton) (Polyfon) size: (600 x 600mm), (600 x 1200mm), with Sonaris™ perforation pattern #P55-100, surface colour: (white) (other), Base colour: (white) (other), with (optional) attenuation backer, as manufactured by Asona Ltd, +64 (9) 525 6575, info@asona.co.nz.

## Asona Ltd




Building 14, 7 Cain Road  
Penrose, Auckland, New Zealand  
Tel: (09) 525 6575  
Email: info@asona.co.nz  
Web: www.asona.co.nz

# Sonaris™ #P15-60

Perforated acoustic ceiling panel laminate finish



asona



## Sizes: # P15-60

600 x 600 mm or 600 x 1200 mm  
15mm Ø perf @ 60mm centres.

## How to select your Sonaris™ laminate ceiling:

1. Select perforation panel size.
2. Select your surface colour/print (see Sonatex colour range datasheet).
3. Choose your base colour. (see Sonatex colour range datasheet).
4. Select your base panel type: Triton Range (Glass Fibre), Polyfon Range (Polyester).
5. Optional: Noise attenuation backer.

## Specification:

Acoustic ceiling panel shall be Asona (Triton) (Polyfon) size: (600 x 600mm), (600 x 1200mm), with Sonaris™ perforation pattern #P15-60, surface colour: (white) (other), Base colour: (white) (other), with (optional) attenuation backer, as manufactured by Asona Ltd, +64 (9) 525 6575, info@asona.co.nz.

## Asona Ltd




Building 14, 7 Cain Road  
Penrose, Auckland, New Zealand  
Tel: (09) 525 6575  
Email: info@asona.co.nz  
Web: www.asona.co.nz

# Sonaris™ #FP100 Frangipani

Perforated acoustic ceiling panel laminate finish



asona



## Sizes: # FP100

600 x 600 mm or 600 x 1200 mm - frangipani perforation

## How to select your Sonaris™ laminate ceiling:

1. Select perforation panel size.
2. Select your surface colour/print.
3. Choose your base colour.
4. Select your base panel type: Triton Range (Glass Fibre), Polyfon Range (Polyester).
5. Optional: Noise attenuation backer.

## Specification:

Acoustic ceiling panel shall be Asona (Triton) (Polyfon) size: (600 x 600mm), (600 x 1200mm), with Sonaris™ perforation pattern #FP100, surface colour: (white) (other), Base colour: (white) (other) with (optional) attenuation backer, as manufactured by Asona Ltd, +64 (9) 525 6575, info@asona.co.nz.

## Asona Ltd




Building 14, 7 Cain Road  
Penrose, Auckland, New Zealand  
Tel: (09) 525 6575  
Email: info@asona.co.nz  
Web: www.asona.co.nz

# Sonaris™ #S4-25

Perforated acoustic ceiling panel laminate finish



asona



## Sizes: #S4-25

4 x 500mm slot @ 25mm centres 600 x 600mm  
4 x 1100mm slot @ 25mm centres 600 x 1200mm

## How to select your Sonaris™ laminate ceiling:

1. Select perforation panel size.
2. Select your surface colour/print.
3. Choose your base colour.
4. Select your base panel type: Triton Range (Glass Fibre), Polyfon Range (Polyester).
5. Optional: Noise attenuation backer.

## Specification:

Acoustic ceiling panel shall be Asona (Triton) (Polyfon) size: (600 x 600mm), (600 x 1200mm), with Sonaris™ perforation pattern #S4-25, surface colour: (white) (other), Base colour: (white) (other) with (optional) attenuation backer, as manufactured by Asona Ltd, +64 (9) 525 6575, info@asona.co.nz.

## Asona Ltd



Building 14, 7 Cain Road  
Penrose, Auckland, New Zealand  
Tel: (09) 525 6575  
Email: info@asona.co.nz  
Web: www.asona.co.nz

# Sonaris™ #4040H Hexagonal

Perforated acoustic ceiling panel laminate finish



asona



## Sizes: #4040H

600 x 600 mm, 40 x 40 mm Hexagon Perforation

## How to select your Sonaris™ laminate ceiling:

1. Select perforation panel size.
2. Select your surface colour/print.
3. Choose your base colour.
4. Select your base panel type: Triton Range (Glass Fibre), Polyfon Range (Polyester).
5. Optional: Noise attenuation backer.

## Specification:

Acoustic ceiling panel shall be Asona (Triton) (Polyfon) size: (600 x 600mm), with Sonaris™ perforation pattern #4040H, surface colour: (white) (other), Base colour: (white) (other) with (optional) attenuation backer, as manufactured by Asona Ltd, +64 (9) 525 6575, info@asona.co.nz.

## Asona Ltd




Building 14, 7 Cain Road  
Penrose, Auckland, New Zealand  
Tel: (09) 525 6575  
Email: info@asona.co.nz  
Web: www.asona.co.nz

# Sonaris™ #4071D Diamond

Perforated acoustic ceiling panel laminate finish



asona



## Sizes: #4071D

600 x 600 mm or 600 x 1200 mm - Diamond Perforation

## How to select your Sonaris™ laminate ceiling:

1. Select perforation panel size.
2. Select your surface colour/print.
3. Choose your base colour.
4. Select your base panel type: Triton Range (Glass Fibre), Polyfon Range (Polyester).
5. Optional: Noise attenuation backer.

## Specification:

Acoustic ceiling panel shall be Asona (Triton) (Polyfon) size: (600 x 600mm), (600 x 1200mm), with Sonaris™ perforation pattern #4071D, surface colour: (white) (other), Base colour: (white) (other) with (optional) attenuation backer, as manufactured by Asona Ltd, +64 (9) 525 6575, info@asona.co.nz.

## Asona Ltd


Building 14, 7 Cain Road  
Penrose, Auckland, New Zealand  
Tel: (09) 525 6575  
Email: info@asona.co.nz  
Web: www.asona.co.nz

# Sonaris™ #250/25HB

Perforated acoustic ceiling panel laminate finish



asona




## Sizes: #250/25HB

600 x 1200 mm , 250 x 25mm Herringbone slot perforation

## How to select your Sonaris™ laminate ceiling:

1. Select perforation panel size.
2. Select your surface colour/print.
3. Choose your base colour.
4. Select your base panel type: Triton Range (Glass Fibre), Polyfon Range (Polyester).
5. Optional: Noise attenuation backer.



## Specification:

Acoustic ceiling panel shall be Asona (Triton) (Polyfon) size: (600 x 1200mm), with Sonaris™ perforation pattern #250/25HB, surface colour: (white) (other), Base colour: (white) (other) with (optional) attenuation backer, as manufactured by Asona Ltd, +64 (9) 525 6575, info@asona.co.nz.

## Asona Ltd



Building 14, 7 Cain Road  
Penrose, Auckland, New Zealand  
Tel: (09) 525 6575  
Email: info@asona.co.nz  
Web: www.asona.co.nz

# Sonaris™ #163040R

Perforated acoustic ceiling panel laminate finish



asona



## Sizes: #163040R

600 x 600 mm, 16/30/40mm random hole perforation

## How to select your Sonaris™ laminate ceiling:

1. Select perforation panel size.
2. Select your surface colour/print.
3. Choose your base colour.
4. Select your base panel type: Triton Range (Glass Fibre), Polyfon Range (Polyester).
5. Optional: Noise attenuation backer.

## Specification:

Acoustic ceiling panel shall be Asona (Triton) (Polyfon) size: (600 x 600mm), with Sonaris™ perforation pattern #163040R, surface colour: (white) (other), Base colour: (white) (other) with (optional) attenuation backer, as manufactured by Asona Ltd, +64 (9) 525 6575, [info@asona.co.nz](mailto:info@asona.co.nz).

## Asona Ltd

Building 14, 7 Cain Road  
Penrose, Auckland, New Zealand  
Tel: (09) 525 6575  
Email: [info@asona.co.nz](mailto:info@asona.co.nz)  
Web: [www.asona.co.nz](http://www.asona.co.nz)





# Sonaris™ #S10-100

Perforated acoustic ceiling panel laminate finish



asona



## Sizes: #S10-100

600 x 600 mm, 10 x 100mm Slot perforation

## How to select your Sonaris™ laminate ceiling:

1. Select perforation panel size.
2. Select your surface colour/print.
3. Choose your base colour.
4. Select your base panel type: Triton Range (Glass Fibre), Polyfon Range (Polyester).
5. Optional: Noise attenuation backer.

## Specification:

Acoustic ceiling panel shall be Asona (Triton) (Polyfon) size: (600 x 600mm), with Sonaris™ perforation pattern #S10-100, surface colour: (white) (other), Base colour: (white) (other) with (optional) attenuation backer, as manufactured by Asona Ltd, +64 (9) 525 6575, [info@asona.co.nz](mailto:info@asona.co.nz).

## Asona Ltd




Building 14, 7 Cain Road  
Penrose, Auckland, New Zealand  
Tel: (09) 525 6575  
Email: [info@asona.co.nz](mailto:info@asona.co.nz)  
Web: [www.asona.co.nz](http://www.asona.co.nz)

# Sonaris™ #S7-75

Perforated acoustic ceiling panel laminate finish



asona



## Sizes: #S7-75

600 x 600 mm, 600 x 1200mm, 7 x 75mm slot perforation.

## How to select your Sonaris™ laminate ceiling:

1. Select perforation panel size.
2. Select your surface colour/print.
3. Choose your base colour.
4. Select your base panel type: Triton Range (Glass Fibre), Polyfon Range (Polyester).
5. Optional: Noise attenuation backer.

## Specification:

Acoustic ceiling panel shall be Asona (Triton) (Polyfon) size: (600 x 600mm), (600 x 1200mm), with Sonaris™ perforation pattern #S7-75, surface colour: (white) (other), Base colour: (white) (other) with (optional) attenuation backer, as manufactured by Asona Ltd, +64 (9) 525 6575, info@asona.co.nz.

## Asona Ltd




Building 14, 7 Cain Road  
Penrose, Auckland, New Zealand  
Tel: (09) 525 6575  
Email: info@asona.co.nz

# Sonaris™ #RSlot Perforated Facing

Perforated acoustic ceiling panel laminate finish



asona



## Sizes: # RSlot

600 x 600mm, 600 x 1200mm, 1200 x 1200mm  
10 x 150mm random slot perforation.

## How to select your Sonaris™ laminate ceiling:

1. Select perforation panel size.
2. Select your surface colour/print.
3. Choose your base colour.
4. Select your base panel type: Triton Range (Glass Fibre), Polyfon Range (Polyester).
5. Optional: Noise attenuation backer.

## Specification:

Acoustic ceiling panel shall be Asona (Triton) (Polyfon) size: (600 x 600mm), (600 x 1200mm), (1200 x 1200mm) with Sonaris™ perforation pattern #RSlot, surface colour: (white) (other), Base colour: (white) (other) with (optional) attenuation backer, as manufactured by Asona Ltd, +64 (9) 525 6575, [info@asona.co.nz](mailto:info@asona.co.nz).

## Asona Ltd

Building 14, 7 Cain Road  
Penrose, Auckland, New Zealand  
Tel: (09) 525 6575  
Email: [info@asona.co.nz](mailto:info@asona.co.nz)  
Web: [www.asona.co.nz](http://www.asona.co.nz)